



WeLink Solutions, Inc.

Fit is enough, less is more- Intel Amston Lake platform in tiny system

RSQ11

- Alder Lake N SKU, Amston Lake & Alder Lake x SKU CPU
- Support Dual Display (HDMI x2)
- Support DDR5 up to 16GB
- Tiny system size in 110mm x 110mm x 50mm
- Wide Power Input : 9V ~ 36V

Specifications

General

CPU

Support Intel® Atom® Amston Lake processors
(System design optimized for 6W/9W/12WCPU power consumption.)

Memory

DDR5 SO DIMM 8GB/16GB (option)

Mass Storage

eMMC 64G/128G/256G(option)

Power Input

Standard: 9~36V

Operation System

Windows® 10 IoT Enterprise

Windows® 11 IoT Enterprise

Linux Yocto

Basic I/O Interface

Power Connector

DC Jack with Lock /4-Pin Terminal Block

Giga LAN

2x 2.5 GbE LAN (Intel® i226-IT)

USB

2x USB3.0 type A

Display

2x HDMI

Expansion

1x M.2 M Key 2242/2280 PCIe4 1x M.2 E Key 2230

EMC Standard

CE/FCC Class A



Environmental

Storage Temperature

-40°C ~ 85°C

Operating Temperature

-20°C ~ 50°C with airflow

Relative Humidity

5 %~ 95 % (non-condensing)

Vibration

DIN Rail - 1G rms

Shock

Din-Rail - 15G half sign

Mechanical

Degree of Protection

IP 30

Dimension

110mm (L) x 110mm (W) x 50 mm (H)

Net Weight

0.8KG

Optional Accessories

Power Adaptor

4-pin Connector / DC Jack with Lock, 60W/24V





Mounting Kit

Din Rail mount, Wall mount







WeLink Solutions, Inc.

Dimension/DC



Dimension/4Pin



Headquarters

4F., No. 55, Ln 6, Chenglin Rd., Tucheng Dist., New Taipei City 23677, Taiwan
 TEL: +886-2-7705-8788 FAX: +886 2 7731-5888
 E-mail: info@we-link.com.tw <https://www.we-link.com.tw>



Headquarters

No.55, Ln. 6, Chenglin Rd., Tucheng Dist., New Taipei City 236, Taiwan
 TEL: +886 2 7705-8788 FAX: +886 2 7731-5888
 E-mail: info@mitwell.com.tw <https://www.mitwell.com.tw>

